
CLAIMS

1. A copolymer composition comprising a compound having the formula:



- 5 independent integers between 10 and 10⁷; R is an anion; and Z is a cation; and RZ is present on over 0.7n of the monomer C in copolymer A.
 - 2. The copolymer composition of claim 1 wherein A is polystyrene.
 - 3. The copolymer composition of claim 1 wherein B is polyisobutylene.
 - 4. The copolymer composition of claim 1 wherein R is an anion comprising oxygen and an element selected from the group consisting of a chalcogen and a pnictogen.
 - 5. The copolymer composition of claim 4 wherein R is SO₃.

- 6. The copolymer composition of claim 1 wherein Z is a cation compatible with R and selected from the group consisting of H, a lanthanide species, an alkaline earth metal and an alkalai metal.
 - 7. The copolymer composition of claim 6 wherein Z is Cs.
- 8. The copolymer composition of claim 1 further comprising a second block A bonded to block B.
- 9. The copolymer composition of claim 1 wherein block A is present at levels ranging between 1-99% of the total block copolymer.
- 10. The copolymer composition of claim 1 wherein block A is present at levels ranging between 5-90% of the total block copolymer.
- 11. The copolymer composition of claim 1 wherein block A is present at levels ranging between 10-70% of the total block copolymer.
 - 12. A copolymer composition comprising a compound having the formula:

$$A \longrightarrow B \longrightarrow A'$$
 (II)

wherein A is a thermoplastic block copolymer PRZ; B is an elastomeric block copolymer including a monomer — (D)_m; A' is a thermoplastic block copolymer

(C)q

- 5 PRZ; m and n are each independent integers between 10 and 10⁷; R is an anion; and Z is a cation; P is a phenyl group, and RZ is present on over 0.7n+q of P.
 - 13. The copolymer composition of claim 12 wherein R is an anion comprising oxygen and an element selected from the group consisting of a chalcogen and a pnictogen.
 - 14. The copolymer composition of claim 12 wherein Z is a cation compatible with R and selected from the group consisting of H, a lanthanide species, an alkaline earth metal and an alkalai metal.
 - 15. The copolymer composition of claim 12 wherein R is SO₃.
 - 16. The copolymer composition of claim 12 wherein Z is selected from the group consisting of: H, Cs, Zn and Na.

- 17. The copolymer composition of claim 12 wherein RZ is SO₃H.
- 18. The copolymer composition of claim 12 wherein block A is present at levels ranging between 1-99% of the total block copolymer.
- 19. The copolymer composition of claim 12 wherein block A is present at levels ranging between 5-90% of the total block copolymer.
- 20. The copolymer composition of claim 12 wherein block A is present at levels ranging between 10-70% of the total block copolymer.
- 21. A semipermeable membrane comprising a copolymer composition according to claim 1.
- 22. The semipermeable membrane of claim 21 wherein the membrane has a thickness ranging between 5 microns and 5 millimeters.
 - 23. A fuel cell comprising a semipermeable membrane according to claim 1.

- 24. An article of apparel comprising a composition according to claim 1.
- 25. The article of apparel according to claim 24 wherein the article is selected from the group consisting of: gloves, screens, drapes, masks, and breathable dressings, shirts, trousers, gowns, overboots, socks, hoods, caps, helmets, and eye goggles.
- 5 26. A semipermeable membrane comprising a copolymer composition according to claim 12.
 - 27. The semipermeable membrane of claim 26 wherein the membrane has a thickness ranging between 5 microns and 5 millimeters.
 - 28. A fuel cell comprising a semipermeable membrane according to claim 12.
 - 29. An article of apparel comprising a composition according to claim 12.
 - 30. The article of apparel according to claim 29 wherein the article is selected from the group consisting of: gloves, screens, drapes, masks, and breathable dressings, shirts, trousers, gowns, overboots, socks, hoods, caps, helmets, and eye goggles.